

ASHOR AGRI

General Catalog



facebook



LINE



Twitter

Various hitches



3-point hitch M

P601-A



Self-made mounting kit

P606-A



3-point hitch GL

P603-A

Hokkaido



■ Farming in Hokkaido

Size : 83,450km²

Farming Area : 1,146,000 Hectares

Annual Billings Total : 1185.2 Billion JPY

Number of Farmers : 37,000 Households

[Main Crops]

Wheat, Soybeans, Potatoes, Sugar beets,
Onions, Pumpkins, Sweetcorn, Fresh Milk,
Beef



ASHOR AGRI

TOKYO

Precautions and product shipping

Products will be separated and packed in cardboard.

Local assembly is required.

Shipping costs for transportation within Japan will be covered by us.

The customer is responsible for all shipping costs and customs duties for overseas transportation.

WEB SITE : q-hoe.com/

Twitter ID: @QH0E_Official

ASHOR AGRI

Produced by

Q-HOE
Co., Ltd.


5-71-1, Asahimachi, Ashoro-cho Ashoro-
gun, Hokkaido, 089-3721, Japan

TEL: +81-156-25-5806 / FAX: +81-156-25-6121

E-mail: info@qhoe.com

Cultivator

Two types of cultivators are available to match the horsepower of the tractor.



Adaptable row distance(cm)
60~75cm

Horse Power
35~100PS

Quantities are limited.

GL cultivator with superior strength and durability

Product name : GL cultivator For tractors only

Model number	Weight (kg)	Efficiency
P004-1DHN[1rows]	■ 42kg	■ 1~10a/h
P004-2DHN[2rows]	■ 111kg	■ 20~45a/h
P004-3DHN[3rows]	■ 166kg	■ 25~50a/h
P004-4DHN[4rows]	■ 250kg	■ 30~55a/h
P004-5DHN[5rows]	■ 295kg	■ 35~60a/h

please note

Hitch is sold separately.
Only compatible with
model P603-A shown on
the back cover.



Easy to adjust the width




The width of the GL horizontal bar can be changed by 6 levels.



Easy to adjust the height of the tire



Various mounting positions



Adaptable row distance(cm)
45~80cm

Horse Power
5~38PS

Can be mounted on a variety of machines

Product name : S3 cultivator Can be installed on tractors, management machines, and rice transplanters

Model number	Weight (kg)	Efficiency
P001-1CHN[1rows]	■ 24kg	■ 1~10a/h
P001-2CHN[2rows]	■ 58kg	■ 20~45a/h
P001-3CHN[3rows]	■ 82kg	■ 25~50a/h
P001-4CHN[4rows]	■ 106kg	■ 30~55a/h
P001-5CHN[5rows]	■ 147kg	■ 35~60a/h

please note

Hitches are sold separately.
It is listed on the back cover.



The width of the S3 horizontal bar can be changed by 6 levels.



Easy to adjust the height of the tire



Cultivator option




Weight (kg)
1 row, 6 kg

Adaptable row distance (cm)
40~80cm

UltraQ can weed not only between rows but also between stocks.

**Not for use on clayey fields.*



Quantities are limited.

Weight (kg)
1 row, 4 kg

Adaptable row distance (cm)
60~80cm

It is suitable for breaking up hard surface soil.

Product name : UltraQ


Model number

P024-1A [1rows]
P024-2A [2rows]
P024-3A [3rows]
P024-4A [4rows]

Product name : soil crushing ring

Model number

P029-1A [1rows]
P029-2A [2rows]
P029-3A [3rows]
P029-4A [4rows]



Cultivator option

**Many options are available.
You can choose the one that best suits your crop system.**



Quantities are limited.

Weight (kg)
1 row, 8 kg

Adaptable row distance (cm)
60~75cm

Crush the clods that come out of the cultivator's claws.



Weight (kg)
1 row, 0.7 kg

Adaptable row distance (cm)
60~75cm

It can be used to cut large weeds.

Product name : soil crushing roller

Model number

P028-1A [1rows]
P028-2A [2rows]
P028-3A [3rows]
P028-4A [4rows]
P028-5A [5rows]

Product name : Weed cutter W


Model number

P031-1C [1rows]
P031-2C [2rows]
P031-3C [3rows]
P031-4C [4rows]
P031-5C [5rows]





fertilizing machine



disk ridger

Weight (kg)
1 row, 10 kg

Adaptable row
distance(cm)
60~75cm

Product name : fertilizing machine

Model number

P020-1D

*1 hopper (50ℓ)

P020-2D

*2hopper (50ℓ×2)

Product name : fertilizing machine
SPEED-INTERLOCKING TYPE (GPS method)

Model number

P020-1C

*1 hopper (50ℓ)

P020-2C

*2hopper (50ℓ×2)



Product name : mogura disk
for S3 cultivator

Model number

P032-1A (1rows)

P032-2A (2rows)

P032-3A (3rows)

P032-4A (4rows)

P032-5A (5rows)

Product name : mogura disk
for GL cultivator

Model number

P032-1B (1rows)

P032-2B (2rows)

P032-3B (3rows)

P032-4B (4rows)

P032-5B (5rows)



Weight (kg)
1 row, 3.5kg

Adaptable row
distance(cm)
45~75cm

Product name : ridger G type


Model number

P030-1D (1rows)



Product name : ridger LL type

Model number
P030-1C (1rows)



Cultivator~~x~~option



Weight (kg)
1 row, 4 kg

Adaptable row
distance(cm)
60~80cm

Product name : ridger E type

Model number

P030-1E (1rows)

Product name : ridger F type


Model number

P030-1F (1rows)



Cabbage broccoli radish


cultivation



Horse Power	Weight (kg)	Efficiency
5~38PS	99kg	25~50a/h

Product name	Model number
S3 cultivator 3-point hitch M Set of two	P001-3CHN P601-A

cultivation and Weeding between plants




Horse Power	Weight (kg)	Efficiency
5~38PS	111kg	25~50a/h

Product name	Model number
S3 cultivator 3-point hitch M UltraQ Set of three	P001-3CHN P601-A P024-2A

Optional items are listed on pages 4-7.



cultivation



Horse Power	Weight (kg)	Efficiency
5~38PS	109kg	25~50a/h

Product name	Model number
S3 cultivator 3-point hitch M Height Adjustment Bracket Set of three	P001-3CHN P601-A PHK-A×2

cultivation and Weeding between plants



Horse Power	Weight (kg)	Efficiency
5~38PS	121kg	25~50a/h

Product name	Model number
S3 cultivator UltraQ 3-point hitch M Height Adjustment Bracket Set of three	P001-3CHN P601-A P024-2A PHK-A×2


Optional items are listed on pages 4-7.



soya bean

cultivation

Adaptable row distance(cm)
45~80cm
Horse Power
5~38PS
Weight (kg)
99kg




Product name
S3 cultivator
3-point hitch M
Set of two

Model number
P001-3CHN
P601-A

cultivation and Weeding between plants

Adaptable row distance(cm)
45~80cm
Horse Power
5~38PS
Weight (kg)
111kg



Product name
S3 cultivator
3-point hitch M
UltraQ
Set of three


Model number
P001-3CHN
P601-A
P024-2A

Efficiency
25~50a/h



cultivation

Adaptable row distance(cm)
60~75cm
Horse Power
35~100PS
Weight (kg)
188kg




Product name
GL cultivator
3-point hitch GL
Set of two

Model number
P004-3DHN
P603-A

cultivation and Weeding between plants

Adaptable row distance(cm)
60~75cm
Horse Power
35~100PS
Weight (kg)
211kg




Product name
GL cultivator
3-point hitch GL
UltraQ
Set of three

Model number
P004-3DHN
P603-A
P024-2A



high-tech cultivator

A set with the necessary equipment.



Adaptable row distance(cm)
60~75cm
Efficiency
35~60a/h
Horse Power
35~100PS
Weight (kg)
420kg

high-tech cultivator
[5rows]

Model number
P003-5JHA

Adaptable row distance(cm)
60~75cm
Efficiency
25~50a/h
Horse Power
35~100PS
Weight (kg)
206kg

high-tech cultivator
[3rows]

Model number
P003-3JHA

Equipment Contents



UltraQ



soil crushing ring



soil crushing roller



3-point hitch GL




Stand with casters

Perilla frutescens




cultivation



Adaptable row distance(cm)	Efficiency	Horse Power	Weight (kg)
80cm~120cm	20~45a/h	5~38PS	75kg
Product name		Model number	
S3 cultivator		P001-2CHN	
3-point hitch M		P601-A	
Set of two			

cultivation



Adaptable row distance(cm)	Efficiency	Horse Power	Weight (kg)
45cm~80cm	25~50a/h	5~38PS	99kg
Product name		Model number	
S3 cultivator		P001-3CHN	
3-point hitch M		P601-A	
Set of two			



burdock



Adaptable row distance(cm)	Efficiency
90cm~120cm	20~45a/h

S3 Specifications



Horse Power	Weight (kg)
5~38PS	110kg
Weeding machine for burdocks	
Btype	
Model number	P016-2BHA
*Hitch is included.	

S3 Specifications



Horse Power	Weight (kg)
5~38PS	125kg
Weeding machine for burdocks	
Dtype	
Model number	P016-2DHA
*Hitch is included.	


GL Specifications



Horse Power	Weight (kg)
35~100PS	145kg
Weeding machine for burdocks	
Etype	
Model number	P016-2EHA
*Hitch is included.	



green onion




Adaptable row distance(cm)	Efficiency
80cm~120cm	20~45a/h
Horse Power	Weight (kg)
5~38PS	110kg
Weeding machine for green onion	
Model number	P017-2AHA

*Hitch is included.



onion



Horse Power	Weight (kg)	Efficiency	Adaptable row distance(cm)
15~45PS	70kg	15~40a/h	24~35cm
Weeding Machine for Onions [3rows] tamarin 7cm		Model number P010-4FTSHA	
Weeding Machine for Onions [3rows] tamarin 15cm		Model number P010-4FTLHA	

*Hitch is included.

Horse Power	Weight (kg)	Efficiency	Adaptable row distance(cm)
15~45PS	100kg	15~40a/h	24~35cm
Weeding Machine for Onions [5rows] tamarin 7cm		Model number P010-4ETSHA	
Weeding Machine for Onions [5rows] tamarin 15cm		Model number P010-4ETLHA	


*Hitch is included.



onion stem Root cutter



traction type



Horse Power	Weight (kg)	Efficiency
13~35PS	55kg	20~45a/h

Select the width of the blade below
110cm•115cm•120cm

Quantities are limited.

onion stem Root cutter

Model number
P039-1AHA

*Hitch is included.

Weights 50KG

Model number
PMRS-W50

*Weights are required depending on conditions.




onion stem Root cutter



PTO drive specifications

Horse Power	Weight (kg)	Efficiency
15~35PS	115kg	20~45a/h

Harvesting width is 1200mm



rotation

Quantities are limited.

onion stem Root cutter
Square bar type

Model number
P039-1EHA

*Hitch is included
*weight (as used in balances)
included
*Drive shaft included

Traction type can be changed to PTO drive type.

Supported models
•P039-1AHA •TK1-1H •TK1-1



onion stem Root cutter
Retrofit type

Model number
P039-1F

*weight (as used in balances)
included
*Drive shaft included

onion digger

Six types are available for different applications.

Quantities are limited.

Horse Power
15~35PS Efficiency
20~45a/h

*Hitch is included
*Drive shaft included

Square bar type



Weight (kg)
273kg

onion digger
Square bar type

Model number
P040-1EHA

Blade type




Weight (kg)
264kg

onion digger
Blade type

Model number
P040-1BHA

Square bar type




Weight (kg)
258kg

onion digger
Square bar type

Model number
P040-1DHA

Blade type



Weight (kg)
249kg


onion digger
Blade type

Model number
P040-1AHA

*Hitch is included
*Drive shaft included



Square bar type




Weight (kg)
159kg

onion digger
Square type

Model number
P040-1FHA

Blade type




Weight (kg)
150kg

onion digger
Blade type

Model number
P040-1CHA



OPTION




Installation example

Supported models P040-1FHA · P040-1CHA

Onion Collector

Model number
PDEGA-TC1



Installation example

Pressure roller

Model number
PDEGA-ROLL-TR

Recommended square bar type



Allows for smooth operation

Use a square stick to break up the clumps of soil. This will make it easier to remove the mud from the onions.

Soil separates easily

The square bar breaks up the soil, preventing mud from moving up the rear.

Less trouble with weeds.

The square bar serves to float the weeds. Since the weeds are floating, they are less likely to get tangled, unlike the blades.



Cannot be used for soft onions.

Wheat treading with rollers

Two types are available

To provide agricultural equipment that can efficiently perform soil digging work with a subsoiler and wheat treading work with rollers.

Horse Power
50ps~100ps

Weight (kg)
760kg

Efficiency
25~50a/h

*1 Front weight may be required.


Total length : 1526mm

Overall width : 2400mm~3500mm

Overall height : 1100mm


Product name
MRS (2400-3500)

Model number
P048-CHA



View from above

Tractor side



Can be slid to resize.

2400~3500mm

Total length : 1230mm

Overall width : 1920~2400

Overall height : 1130mm



Horse Power
28ps~60ps

Weight (kg)
370kg

Efficiency
15~25a/h

Product name
MRS (1920-2400)

Model number
P048-AHA



Horse Power
50ps~100ps

Weight (kg)
910kg

Efficiency
25~50a/h

*1 Front weight may be required.

Total length : 1526mm

Overall width : 2700mm~4600mm


Overall height : 1100mm

Product name
MRS (2700-4600)

Model number
P048-DHA

View from above

Tractor side




Can be slid to resize.

2700~4600mm

Weeding machine for wheat

For the narrow width




Horse Power
15~45PS



Adaptable row distance(cm)
24~35cm

Model number	Weight (kg)	Efficiency
P010-4ATS(L)HN [4rows]	■ 103kg	■ 15~40a/h
P010-5ATS(L)HN [5rows]	■ 120kg	■ 20~45a/h
P010-6ATS(L)HN [6rows]	■ 140kg	■ 25~50a/h
P010-7ATS(L)HN [7rows]	■ 164kg	■ 30~55a/h
P010-8ATS(L)HN [8rows]	■ 180kg	■ 35~60a/h

OPTION




subsoiler set
1 set (2 pcs)
PSAB-SET-1



Stand with casters
1 set (2 pcs)
PS3-STAND-B



ASHOR AGRI
HOKKAIDO, JAPAN



please note
Hitches are sold separately.
It is listed on the back cover.

Tamarin 7cm width specification

Model number
[4rows] P010-4ATSHN
[5rows] P010-5ATSHN
[6rows] P010-6ATSHN
[7rows] P010-7ATSHN
[8rows] P010-8ATSHN

Tamarin 15cm width specification


Model number
[4rows] P010-4ATLHN
[5rows] P010-5ATLHN
[6rows] P010-6ATLHN
[7rows] P010-7ATLHN
[8rows] P010-8ATLHN



hand weeder




*Not for use on clayey fields.




Weight (kg)
1.6kg
Efficiency
0.2~0.5a/h
Adaptable row
distance(cm)
45~75cm

Magic Weeding Machine
Model number
P046-AWNEA




Weight (kg)
2.3kg
Efficiency
0.2~0.5a/h
Adaptable row
distance(cm)
45~75cm

Magic Weeding Machine
Model number
P046-AWAEA



Weight (kg)
1.6kg
Efficiency
0.2~0.5a/h
Adaptable row
distance(cm)
20~45cm

Magic Weeding Machine
Model number
P046-BWNEA



Weight (kg)
2.5kg
Efficiency
0.2~0.5a/h
Adaptable row
distance(cm)
20~45cm

Magic Weeding Machine
Model number
P046-BWAEA



Weight (kg)
0.5kg

Q-HOE 17 cm
Model number
P045-BEA



hand weeder



*Not for use on clayey fields.



Adaptable row
distance(cm)
40~80cm
Weight (kg)
15kg

Thachan
Model number
P023-1A



Sugar beet transplanter
Model number
P047-A
Overall height
870 mm
Inside Diameter
Φ38 mm




Onion transplanter
Model number
P047-B
Overall height
800 mm
Inside Diameter
Φ25 mm

Walk Behind Tractor

**Not for use on clayey fields.*




Horse Power
5~10PS



Weight (kg)
21kg
Efficiency
10~20a/h
Adaptable row
distance(cm)
45~75cm

Walking type
weeding machine


Model number
P022-B



Weight (kg)
21kg
Efficiency
20~30a/h
Adaptable row
distance(cm)
45~75cm

Walking type
weeding machine


Model number
P022-C



Weight (kg)
22kg
Efficiency
20~30a/h
Adaptable row
distance(cm)
45~75cm

Walking type
weeding machine

Model number
P022-D



Weight (kg)
31kg
Efficiency
20~30a/h
Adaptable row
distance(cm)
45~75cm

Walking type
weeding machine

Model number
P022-E



Weight (kg)
20kg
Efficiency
20~30a/h
Adaptable row
distance(cm)
24~35cm

Walking type
weeding machine

Model number
P022-F

The following parts will enable
installation.
We do not offer this product.



Various rakes

How to distinguish the different types



V-rake

Model number P025-1V



H-rake

Model number P025-1H



C-rake

Model number P025-1CYA



B-rake

Model number P025-1BYA



S-rake

Model number P025-1S



CL-rake

Model number P025-1CLYA



BL-rake

Model number P025-1BLYA



ON-rake

Model number P025-1ON



A-rake

Model number P025-1AYA

Cultivating and Weeding Machine
for Paddy field



Simple towing structure



komerin


rake(wire)

gas venting rotor

Horse Power
5~25PS

Adaptable row distance(cm)
30・33cm

rake+gas venting rotor	Weight (kg)	Efficiency
P005-4A (C) HN [4rows]	■56kg	■15~40a/h
P005-5A (C) HN [5rows]	■53kg	■20~45a/h
P005-6A (C) HN [6rows]	■63kg	■20~50a/h
P005-8A (C) HN [8rows]	■77kg	■35~60a/h
komein+rake+gas venting rotor		
P005-4B (D) HN [4rows]	■68kg	■15~40a/h
P005-5B (D) HN [5rows]	■71kg	■20~45a/h
P005-6B (D) HN [6rows]	■81kg	■20~50a/h
P005-8B (D) HN [8rows]	■102kg	■35~60a/h



rake+gas venting rotor


*1 Hitch is required separately.

	Model number
4rows 30 cm	P005-4AHN
5rows 30 cm	P005-5AHN
6rows 30 cm	P005-6AHN
7rows 30 cm	P005-7AHN
8rows 30 cm	P005-8AHN

Planting distance 30 cm

	Model number
4rows 33 cm	P005-4CHN
5rows 33 cm	P005-5CHN
6rows 33 cm	P005-6CHN
7rows 33 cm	P005-7CHN
8rows 33 cm	P005-8CHN

Planting distance 33 cm



komein+rake+gas venting rotor

*1 Hitch is required separately.

	Model number
4rows 30 cm	P005-4BHN
5rows 30 cm	P005-5BHN
6rows 30 cm	P005-6BHN
7rows 30 cm	P005-7BHN
8rows 30 cm	P005-8BHN

Planting distance 30 cm

	Model number
4rows 33 cm	P005-4DHN
5rows 33 cm	P005-5DHN
6rows 33 cm	P005-6DHN
7rows 33 cm	P005-7DHN
8rows 33 cm	P005-8DHN

Planting distance 30 cm